

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L2	292	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L3	81	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L4	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L5	219	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L6	451	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L7	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L8	278	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L9	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L10	241	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L11	14	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L12	20883	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L13	2241	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L14	32	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L15	69	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L16	240	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L17	18	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L18	39	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L19	2037	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L20	1215	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L21	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L22	6347	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L23	1856	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L24	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L25	292	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L26	81	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L27	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L28	219	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L29	451	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L30	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L31	278	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L32	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L33	241	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L34	14	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L35	20883	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L36	2241	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L37	32	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L38	69	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L39	240	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L40	18	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L41	39	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L42	2037	(matrix matrice) near5 (correspond\$3 respect\$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L43	1215	(matrix matrice) near5 (correspond\$3 respect\$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L44	26	(matrix matrice) near5 (correspond\$3 respect\$3) near4 bit and halfon\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L45	6347	(matrix matrice pattern) near5 (correspond\$3 respect\$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L46	1856	(matrix matrice pattern) near5 (correspond\$3 respect\$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L47	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L48	292	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L49	81	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L50	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L51	219	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L52	451	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L53	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L54	278	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L55	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L56	241	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near\$3 color and (reduc\$3 decreas\$3) near\$4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L57	14	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L58	20883	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L59	2241	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L60	32	(decreas\$3 reduc\$3) near\$4 bit with (row and column) near\$5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L61	69	(decreas\$3 reduc\$3) near\$4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L62	240	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L63	18	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L64	39	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L65	2037	(matrix matrice) near\$5 (correspond\$3 respect\$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L66	1215	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L67	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L68	6347	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L69	1856	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L70	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L71	292	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L72	81	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L73	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L74	219	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L75	451	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L76	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L77	278	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L78	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L79	241	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L80	14	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L81	20883	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L82	2241	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L83	32	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L84	69	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L85	240	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L86	18	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L87	39	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L88	2037	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L89	1215	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L90	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and halfton\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L91	6347	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L92	1856	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L93	124007	(restor\$3 recover\$3 reconstruct\$3) with (color image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L94	1001	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L95	2	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) and 358/3.26. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L96	108	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) same (half ton \$3 pattern dither\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L97	7	"7262879"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L98	5	"7233414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L99	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L100	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L101	292	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L102	81	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L103	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L104	219	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L105	451	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L106	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L107	278	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L108	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L109	241	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L110	14	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L111	20883	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L112	2241	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L113	32	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L114	69	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L115	240	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L116	18	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L117	39	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L118	2037	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L119	1215	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L120	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L121	6347	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L122	1856	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L123	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L124	292	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L125	81	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L126	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L127	219	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L128	451	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L129	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L130	278	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L131	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L132	241	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L133	14	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L134	20883	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L135	2241	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L136	32	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L137	69	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L138	240	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L139	18	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L140	39	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L141	2037	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L142	1215	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L143	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L144	6347	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L145	1856	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L146	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L147	292	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L148	81	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L149	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L150	219	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L151	451	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L152	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L153	278	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L154	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L155	241	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L156	14	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L157	20883	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L158	2241	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L159	32	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L160	69	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L161	240	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L162	18	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L163	39	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L164	2037	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L165	1215	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L166	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L167	6347	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L168	1856	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L169	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L170	292	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L171	81	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L172	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L173	219	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L174	451	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L175	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L176	278	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L177	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L178	241	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L179	14	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L180	20883	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L181	2241	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L182	32	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L183	69	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L184	240	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L185	18	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L186	39	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L187	2037	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L188	1215	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L189	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L190	6347	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

L191	1856	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L192	124007	(restor\$3 recover\$3 reconstruct\$3) with (color image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L193	1001	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L194	2	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) and 358/3.26. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L195	108	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) same (half-ton \$3 pattern dither\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L196	7	"7262879"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L197	5	"7233414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25
L198	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/01 18:25

4/ 1/ 2011 6:47:26 PM

C:\Documents and Settings\qvo1\My Documents\EAST\Workspaces\10695327.wsp